- QUALITY
- SERVICE
- RELIABILITY

PROJAHN

SPRING/SUMMER 2022

COMPETENCE IN PRECISION TOOLS AND HAND TOOLS

CONCRETE DRILL BITS
can be found on page 5

SCREW EXTRACTOR BUNDLE
can be found on page 7

TWIST DRILL BIT SPEEDPOWER
can be found on page 9

PROJAHN Präzisionswerkzeuge GmbH

PROFESSIONAL PLUS STANDARD

Rotary hammer drill bits with 4 cutting edges ROCKET 5

Highest precision

- 5 crushers allow drilling of precise holes
- Low vibration while working

Perfect suitable for reinforcements

- Protection against reinforcement prevents jamming
- Wear marks for the proof of dowel-compatible holes

Extremely durable

- 4-flute geometry increases lifetime
- Evenly spread wear

Characteristics

Durable | Precise | Powerful | Low vibration

Shank

- Available in SDS-plus and SDS-max

SDS-plus

5-pack with hanger 5 PIECES

Ø mm	L1 mm	L2 mm	Art.-No.
6,0	110	50	83 06 110 45
8,0	210	150	83 08 210 45
10,0	210	150	83 10 210 45
12,0	210	160	83 12 210 45
14,0	210	160	83 14 210 45

10-pack with hanger 10 PIECES

Ø mm	L1 mm	L2 mm	Art.-No.
6,0	160	100	83 06 160 410
8,0	160	100	83 08 160 410
10,0	160	100	83 10 160 410
12,0	160	110	83 12 160 410
14,0	160	110	83 14 160 410

SDS-max

Single packaging with hanger 1 PIECE

Ø mm	L1 mm	L2 mm	Art.-No.
14,0	540	400	814 540
16,0	340	200	816 340
16,0	540	400	816 540
18,0	340	200	818 340
18,0	540	400	818 540
20,0	520	400	820 520
22,0	520	400	822 520
24,0	520	400	824 520
25,0	520	400	825 520
28,0	570	450	828 570

PROFESSIONAL PLUS STANDARD

Rotary hammer drill bits with 4 cutting edges

ROCKET 5

▶ Aggressively shaped drill head with 5 crushers sets new standards in terms of service life

Especially for reinforced concrete

Range of application

Reinforced concrete

Concrete

Masonry

Natural stone

SICHERSAFE PGM

Rotary hammer drill bit set

Ø 6 x 110 mm
Ø 6 - 8 - 10 - 12 x 160 mm
5 pcs. in plastic box

83046

Rotary hammer drill bit set

Ø 5 - 6 - 8 x 110 mm
Ø 6 - 8 - 10 - 12 x 160 mm
7 pcs. in plastic box

83744

Rotary hammer drill bit set

5x each
Ø 6 x 110/50 mm
Ø 6 - 8 - 10 x 160/100 mm
Ø 12 x 160/110 mm
Ø 8 - 10 x 210/150 mm
Ø 12 x 210/160 mm

83040

PROFESSIONAL PLUS STANDARD

Rotary hammer drill bits with 2 cutting edges

ROCKET 3

► Demolition effect for highly effective destruction of the material

Maximum drilling speed

Maximum speed

- 3 crushers achieve a maximum of drilling speed
- At least 20 % time saving compared to similar products

Simple handling

- Wear marks for the proof of dowel-compatible holes
- Pilot drill for accurate drilling without slipping off
- Patent pending for innovative drill tip geometry

Long lifetime

- Broad spiral back
- Core reinforced flute
- Extra large volume spiral

Range of application

Concrete | Masonry | Natural stone

Characteristics

Fast | Precise | Powerful | Low vibration

Shank

- Available in SDS-plus

SICHERSAFE

in high-quality MAMBO-Box

Rotary hammer drill bit set

Ø 5 - 6 - 8 x 110 mm
Ø 6 - 8 - 10 - 12 x 160 mm

83730

Rotary hammer drill bit set

Ø 6 x 110 mm
Ø 6 - 8 - 10 - 12 x 160 mm
5 pcs. in plastic box

83045

Rotary hammer drill bit set

5x each
Ø 6 x 110/50 mm
Ø 10 x 160/100 mm
Ø 12 x 160/110 mm
Ø 8 - 10 x 210/150 mm
Ø 12 x 210/160 mm

10x each
Ø 6 - 8 x 160/100 mm

83041

10-pack with hanger 10 PIECES

Ø mm	L1 mm	L2 mm	Art.-No.
6.0	110	50	83 06 110 10
6.0	160	100	83 06 160 10
8.0	110	50	83 08 110 10
8.0	160	100	83 08 160 10
8.0	210	150	83 08 210 10
8.0	260	200	83 08 260 10
10.0	160	100	83 10 160 10
12.0	160	110	83 12 166 10
14.0	210	160	83 14 216 10

PROFESSIONAL **PLUS** STANDARD

TCT concrete drill bit

NEW

- Durable concrete drill bit with carbide plate 130° and straight shank
- Can be used in all impact drilling machines
- For drilling in concrete, masonry, sand-lime brick, natural and artificial stone

1x Ø 4 mm x 75/40 mm
1x Ø 5 mm x 85/50 mm
2x Ø 6 mm x 100/60 mm
1x Ø 8 mm x 120/80 mm
1x Ø 10 mm x 120/80 mm
1x Ø 12 mm x 150/85 mm



56002

PROFESSIONAL PLUS STANDARD

MULTI-STAR multi-purpose drill

For composite materials without changing tools

- Extremely sharp cutting edges due to diamond-ground carbide plate
- Optimal drill dust transport due to patented 4-stage profile
- Suitable for metal, masonry, tile, brick, wood, plastics and composite materials
- For rotating use only - no impact drilling!

57002

with straight shank
Ø 4 - 5 - 6 - 8 - 10 mm
5 pcs. in plastic box

57005

with hexagonal shank
Ø 4 - 5 - 6 - 8 - 10 mm
5 pcs. in plastic box

PROFESSIONAL PLUS **STANDARD**

CRYSTAL glass drill bit set

- With special carbide tip and straight shank
- Reduced rotation speed (rpm) and sufficient cooling (water, terpentin, vinaigre, paraffin) improve the drilling result
- Designed to drill: Glass, Tiles, Ceramic, Mirror Glass and Porcelain
- For rotating use only - no impact drilling!

with straight shank
Ø 6 - 6 - 8 - 8 - 10 mm
5 pcs. in plastic box

59001

5
PIECES

PROFESSIONAL PLUS **STANDARD**

Chisels ECO

Set SDS-plus 250 mm

Pointed chisel 250 mm
Flat chisel 250 x 20 mm
Spade chisel 250 x 40 mm

3 pcs. in plastic box

99956

3 PIECES

Set SDS-max 400 mm

Pointed chisel 400 mm
Flat chisel 400 x 25 mm
Spade chisel 400 x 50 mm

3 pcs. in plastic box

844002

3 PIECES

Bulk packs

SDS-plus

10 PIECES

Description	L mm	W mm	pcs./ PU	Art.-No.
Pointed chisel	250		10	84 106 250 210
Flat chisel	250	20	10	84 206 250 210
Spade chisel	250	40	10	84 406 250 210

SDS-max

10 PIECES

Description	L mm	W mm	pcs./ PU	Art.-No.
Pointed chisel	400		10	84 170 400 210
Flat chisel	400	20	10	84 270 400 210
Spade chisel	400	40	10	84 470 400 210

PROFESSIONAL PLUS **STANDARD**

Hollow core bits

- Hollow core bit with 8 carbide teeth
- Designed to drill: lightweight concrete, masonry, hollow bricks and sand-lime bricks
- Ideal tool for plumbers, heating engineers, electricians, etc.

54100

Hollow core bit set

6 PIECES

Hollow core drill bits **68 mm** and **82 mm** incl. SDS-plus- and Hexagon shank and two center drill bits

6-pcs. in plastic case

Hollow core bit **68 mm** with SDS-plus shank and centering drill bit

3 pcs. on clip

54166

3 PIECES

Hollow core bit **82 mm** with SDS-plus shank and centering drill bit

3 pcs. on clip

54180

3 PIECES

PROFESSIONAL **PLUS** STANDARD

Screw extractor set

- For unscrewing broken screws and bolts
- In handy plastic box
- For screws M4 to M18

NEW

3058

Screw extractor bundle

3058-BUNDLE

Including twist drill bits HSS-G left handed



PROFESSIONAL PLUS **STANDARD**

Tool holder with ratchet

- For chucking screw extractors (size 1 - size 5) and taps (M5 - M12)
- With reversible ratchet function for left and right rotation

913012

PROFESSIONAL PLUS STANDARD

Carbide burrs sets

NEW



- Double cut for high stock removal rate while smooth milling performance
- Achieving smooth surfaces while minimizing rework
- High quality carbide guarantees a long service life
- For working steel, cast iron, stainless steel, special alloys, extremely hard and tough materials (e.g. Hardox) as well as non-ferrous metals
- Handy plastic box protects the tools from dirt and damage



Shape B - cylinder with spur teeth
Shape C - cylinder roller
Shape F - round arch

3 pcs. in plastic box
Head Ø 9.6 mm -
shank Ø 6.0 mm

70288

Shape B - cylinder with spur teeth
Shape D - ball shape
Shape G - pointed arch

3 pcs. in plastic box
Head Ø 9.6 mm
shank Ø 6.0 mm

70289

PROFESSIONAL PLUS STANDARD

Twist drill bit sets DIN 338

SPEEDPOWER

Combines the precision of a ground drill bit with the increased breaking resistance of a roll-forged drill bit

- Made of high-alloy high-speed steel (DMO5) for a particularly long service life
- With 118° tapered finish for multiple and easy regrinding
- Precision roll-forged for increased breaking resistance and precisely round drill holes
- For drilling steel up to 1.000 N/mm², cast steel, gray cast iron, sintered iron, non-ferrous metals and graphite

Standard twist drill bit

SPEEDPOWER twist drill bit

- Reduced drill core tip/ crosscutting edge
  - Easy initial drilling with less feed
    - Power saving
  - Faster drilling progress with less heat development
    - Longer life time
- Reinforced drill core
  - Increases the breaking resistance of the twist drill bits
    - Longer life time

Perfect for free hand drilling

Ø 1 - 10 / 0.5 mm increasing

67311

Ø 1 - 13 / 0.5 mm increasing

67371

PROFESSIONAL PLUS STANDARD

Twist drill bit sets DIN 338 ECO

HSS-G

- Twist drill bit according to DIN 338 type N with straight shank
- 135° split point from Ø 3 mm
- Article 60375 in metal box

Ø 1 - 10 / 0.5 mm increasing

67315

19 PIECES

Ø 1 - 13 / 0.5 mm increasing

60375

25 PIECES

170 PIECES

10x Ø 1 - 8 / 0.5 mm increasing
5x Ø 8.5 - 10 / 0.5 mm increasing

60616

PROFESSIONAL **PLUS** STANDARD

Twist drill bit sets DIN 338



19 PIECES 19 short twist drill bits
Ø 1 - 10 / 0.5 mm increasing

25 PIECES 25 short twist drill bits
Ø 1 - 13 / 0.5 mm increasing

170 PIECES 10x Ø 1 – 8 / 0.5 mm inc.
5x Ø 8.5 – 10 / 0.5 mm inc.

	HSS-R	HSS-Co 5%
	ROLLFORGED	COBALT-ALLOYED
	High resistance	Ideal for stainless steel NIROSTA STAINLESS INOX
in metal box		
60003 / 60381 / 60005 / 60386 Image similar		
19 PIECES	60003 BASIC	60381 ECO
25 PIECES	60005 ECO	60386 ECO
in plastic box		
67003 / 67319 / 67007 / 67379 Image similar		
19 PIECES	67003 ECO	67319 BASIC
25 PIECES	67007 ECO	67379 BASIC
in metal and plastic case		
170 PIECES	67600 ECO in plastic case	60613 ECO in metal case

PROFESSIONAL PLUS STANDARD

Thread cutting tools

Hand tap set HSS DIN 352

21 hand taps HSS DIN 352
1 set each (taper, plug and bottoming tap)
M3 - M4 - M5 - M6 - M8 - M10 - M12
7 core hole drill bits HSS-G DIN 338
Ø 2.5 - 3.3 - 4.2 - 5 - 6.8 - 8.5 - 10.2 mm
1 tap wrench no. 1 1/2
29 pcs. in metal box

91007

Short machine taps HSS-G DIN 352

7 short machine taps HSS-G DIN 352
for machine and hand use
M3 - M4 - M5 - M6 - M8 - M10 - M12
7 core hole drill bits HSS-G DIN 338
Ø 2.5 - 3.3 - 4.2 - 5 - 6.8 - 8.5 - 10.2 mm
1 tap wrench no. 1 1/2
15 pcs. in metal box

91013

Machine Tap Set

7 Machine taps HSS-Co 5% metric, for blind holes
M3 - M4 - M5 - M6 - M8 - M10 - M12
7 core hole drill bits HSS-Co 5% DIN 338
Ø 2.5 - 3.3 - 4.2 - 5 - 6.8 - 8.5 - 10.2 mm
14 pcs. in plastic box

DIN 371/376
metric

= Through- going hole = Blind hole

	91030	91040
HSS-G		
NIROSTA STAINLESS INOX	91031	91041
HSS-Co		



PROFESSIONAL PLUS **STANDARD**

Thread cutting tools

21 hand taps HSS DIN 352
1 set each (taper, plug and bottoming tap)
M3 - M4 - M5 - M6 - M8 - M10 - M12
7 circular dies HSS-G DIN 13
M3 - M4 - M5 - M6 - M8 - M10 - M12
7 core hole drill bits HSS-G DIN 338
Ø 2.5 - 3.3 - 4.2 - 5 - 6.8 - 8.5 - 10.2 mm
1 die holder
1 tap wrench no. 1 1/2
1 tool holder No. 1
1 screwdriver (Art.-no. 91508)
1 screw pitch gauge (Art.-No. 915091)
40 pcs. in plastic case

91009

33 hand taps HSS DIN 352
1 set each (taper, plug and bottoming tap)
M3 - M4 - M5 - M6 - M8 - M10 - M12 - M14 - M16 - M18 - M20
11 circular dies HSS-G DIN EN 22568
M3 - M4 - M5 - M6 - M8 - M10 - M12 - M14 - M16 - M18 - M20
6 die holders
20x5 - 20x7 - 25x9 - 30x11 - 38x14 - 45x18 mm
2 tap wrenches No. 1 1/2 + 3
1 screwdriver (Art.-no. 91508)
1 screw pitch gauge (Art.-No. 915091)
1 tool holder with ratchet (Art.-No. 913011)
55 pcs. in metal case

91005

39 hand taps HSS DIN 352
1 set each (taper, plug and bottoming tap)
M3 - M4 - M5 - M6 - M8 - M10 - M12 - M14 - M16 - M18 - M20 - M22 - M24
13 circular dies HSS-G DIN EN 22568
M3 - M4 - M5 - M6 - M8 - M10 - M12 - M14 - M16 - M18 - M20 - M22 - M24
6 die holders
20x5 - 20x7 - 25x9 - 30x11 - 38x14 - 45x18 mm
3 tap wrenches No. 0 + 1 1/2 + 4
1 screwdriver (Art.-no. 91508)
1 screw pitch gauge (Art.-No. 915091)
63 pcs. in plastic case

91011

PROFESSIONAL PLUS STANDARD

Countersink sets

6 countersinks 90° three-edged, DIN 335 C
Ø 6.3 - 8.3 - 10.4 - 12.4 - 16.5 - 20.5 mm
6 pcs. in metal box

HSS-Co

35701

NIROSTA STAINLESS INOX

PROFESSIONAL PLUS STANDARD

6,35 mm HEXAGONAL BIT-SHANK

6 countersinks with hexagonal shank
Ø 6.3 - 8.3 - 10.4 - 12.4 - 16.5 - 20.5 mm
1x universal bit holder
7 pcs. in metal box

HSS-G

35003

ACCU

PROFESSIONAL PLUS STANDARD

Step drill with spiral groove – set

- Sharp drill bit tip: Instant drilling without pre-drilling, burr and chatter mark free work
- High running smoothness with an excellent cutting performance
- Spiral geometry of the flutes results in a longer tool life
- The next larger step can be used for slight countersinking or deburring

1x Ø 4 - 12 mm I 1x Ø 6 - 20 mm I 1x Ø 6 - 30 mm
1x cutting paste

METAL PE PP,PVC ABS LONG LIFE PRO

HSS-G

76811

HSS-Co 5%

76911

NIROSTA STAINLESS INOX

PROFESSIONAL PLUS STANDARD

Outer reamer

NIROSTA STAINLESS INOX METAL Cu Ni Ms Zn PE PP,PVC ABS GF

Ideal for repair of threaded bolts and screws

- Perfect for various materials such as stainless steel, metal, non-ferrous metal and plastic
- Fast and clean deburring of pipes, threaded rods, screws and much more due to carbide blades
- Only use low rotational speed
- Art.-No. 35401 max 500 rpm, Art.-No. 35402 max 150 rpm, Art.-No. 35403 max 60 rpm

34 – 54 mm
max 60 rpm

35403



13 – 35 mm
max 150 rpm

35402



3 – 19 mm
max 500 rpm

35401

PROFESSIONAL PLUS STANDARD

Oscillating multi tools

STARLOCK

- The versatile multi-tools are particularly suitable for working in places that are hard to reach
- U-Shape saw blades with a rounded cutting edge ensure an optimal plunging behavior as well as clean and precise cuts
- Find the right tool for the working material with the help of the color guide mark
- Quick one handed tool change in only three seconds

Plunge saw blade Wood

WOOD

U-Shape	663125	5 PIECES	6631220	20 PIECES	HCS		
U-Shape	663285	5 PIECES	6632820	20 PIECES	HCS		
U-Shape	663135	5 PIECES	6631320	20 PIECES	LONG LIFE BIM		

Plunge saw blade Wood and Metal

WOOD AND METAL

U-Shape	663145	5 PIECES	6631420	20 PIECES	LONG LIFE BIM		
U-Shape	663085	5 PIECES	6630820	20 PIECES	LONG LIFE BIM		

Segment saw blade Wood and Metal

	66301	1 PIECE			LONG LIFE BIM		

Plunge saw blade Metal

METAL

	663055	5 PIECES	6630520	20 PIECES	LONG LIFE BIM		
	663115	5 PIECES			LONG LIFE PRO TC/HM		

Saber saw blades

NEW

- Saber saw blade with carbide toothing for stainless steel, metal and non-ferrous metals
- Perfectly suited for SML casting, reinforcement as well as metal reinforced rubber
- Carbide toothing ensures maximum service life even with high-strength steels
- Designed to cut even the hardest materials

PU15080
Cutting length: 130 mm
Teeth/inch: 8
Similar to:
S 955 CHM

64321

1 PIECE

PU22880
Cutting length: 205 mm
Teeth/inch: 8
Similar to:
S 1155 CHM

64322

1 PIECE

NEW

64001

3 PIECES

Saber saw blades set

Universal assortement to use in metal, wood and plastics
1x saw blade for steel, non-ferrous metals and stainless steel from 2 to 8 mm - cutting length 130 mm
1x saw blade for all types of wood with metal residues from 2.5 mm to 150 mm - cutting length 180 mm
1x saw blade for all types of wood from 6 mm to 250 mm - cutting length 280 mm

- Fast and straight cuts in all types of wood, plastics and gypsum board from 6 mm to 100 mm

PW15060
Cutting length: 130 mm
Teeth/inch: 6
Similar to: S644D

64101

5 PIECES



- Flexible universal saw blade made of bi-metal for steel, non-ferrous metals and stainless steel from 2 to 8 mm
- A significant increase in tool life can be achieved by using PROJAHN stainless steel cutting paste (article 64999)

	PM 15014 Bi	PM 20014 Bi	PM 25014 Bi
	Cutting length: 130 mm Teeth/Inch: 14 Similar to: S922BF	Cutting length: 180 mm Teeth/Inch: 14 Similar to: S1122BF	Cutting length: 230 mm Teeth/Inch: 14
	64232	64233	64234
5 PIECES			
	6423220	6423320	6423420
20 PIECES			

PROFESSIONAL PLUS STANDARD

Jigsaw blades

5 PIECES

For all types of wood and plastics up to 65 mm



PW10530 63123
Cutting length: 105 mm
Tooth Pitch: 3 mm
Similar to: T301CD

5 PIECES

For all types of wood and plastics up to 30 mm



PW7525 63122
Cutting length: 75 mm
Tooth Pitch: 2.5 mm
Similar to: T101B



5 PIECES

For metals and composite material up to 80 mm



PM10510Bi 63212
Cutting length: 105 mm
Tooth Pitch: 1 mm
Similar to: T318AF

5 PIECES

For non-ferrous metals and aluminum from 2 mm to 20 mm

PM7525Bi 63215
Cutting length: 75 mm
Tooth Pitch: 2.5 mm
Similar to: T101A

PROFESSIONAL PLUS STANDARD

Jigsaw blade set

- Universal assortment to use in metal, wood and plastics
- Suitable for all common jigsaws

PW7525 - clean cuts in wood and plastics from 3 mm to 30 mm
PW7530 - rough, fast cuts in wood and plastics from 4 mm to 50 mm
PW7540 - clean, fast cuts in wood and plastics from 10 mm to 45 mm
PM5512 - for steel and metal sheets from 1.2 mm to 2 mm
PM5520 - for steel, aluminum and non-ferrous metals from 2.5 mm to 6 mm



5 pcs. in paper card

PROFESSIONAL PLUS STANDARD

Bi-metal hole saw set

- 8% cobalt alloy Vario toothing
- For clean, circular and precise holes in stainless steel, non-ferrous metals, sheet metal, steel and aluminium

Vario toothing | HSS-Co 8% | 38 mm cutting depth

Allround Plus

Ø 19 - 22 - 25 - 29 - 32 - 35 - 44 - 51 - 57 - 60 - 68 - 76 mm

including Quick-Lock adapter 14 - 30 mm and 32 - 210 mm

2x HSS center drill bits and 1x hex key

14 pcs. in plastic case

68912

PROFESSIONAL PLUS STANDARD

Forstner Bits

- Precise and splinter-free drilling in wood
- Drill bits with center point, two main cutting edges and peripheral cutting edges
- Grinded for accurate drill holes
- Reduced straight shank
- Designed to drill: Hard wood, soft wood and veneered wooden board

ECO **33001-1**
5 forstner drill bits
Ø 15 - 20 - 25 - 30 - 35 mm
5 pcs. in wooden box

5 PIECES

ECO **33002-1**
15 forstner drill bits
Ø 10 - 12 - 15 - 16 - 18 - 20 - 22 - 25 - 26 - 28 - 30 - 35 - 40 - 45 - 50 mm
15 pcs. in wooden box

PROFESSIONAL PLUS STANDARD

Auger drill bit sets

- With threaded tip for accurate drilling
- Long tool life because of hardened drill bit head and cutting lip
- Special LEWIS helix for rapid chip removal
- Hex shank ensures a tight fit in the drill chuck
- Designed to drill: Soft- and hardwood

Image similar

Ø 10 - 12 - 14 - 16 - 18 - 20 mm
6 pcs. in wooden box

Cutting length: 230 mm	Cutting length: 320 mm	Cutting length: 460 mm	Cutting length: 600 mm
19501	**99979**	**99930**	**99978**

PROFESSIONAL PLUS STANDARD

Router bit set

A) 45° bevel trim bit	Ø 28.6 mm
B) Round over bit	Ø 24.7 + 32.7 mm
C) Cove bit	Ø 22.0 + 28.5 mm
D) Classical roman ogee cutter	Ø 35.0 mm
E) Straight bit	Ø 8.0 + 16.0 mm
F) Flush trim bit	Ø 12.7 mm
G) Core box bit	Ø 12.0 mm
H) Dovetail bit	Ø 14.3 mm
I) 60° Singmarking bit	Ø 11.0 mm

12 pcs. in wooden box

19299



PROFESSIONAL PLUS **STANDARD**

Wood twist drill bit set with hexagonal shank

Wood twist drill bits with hexagon shank
Ø 3 - 4 - 5 - 6 - 8 mm
5 pcs. in plastic box

19399

PROFESSIONAL **PLUS** STANDARD

Carbide tipped hole saw set

Ø 19 - 22 - 25 - 32 - 35 - 40 - 44 - 51 - 57 - 64 - 68 - 76 mm
including Quick-Lock adapter 14 - 30 mm and 32 - 210 mm
1x TCT + 2x HSS center drill bits and hex key

18 pcs. in plastic case

60591

PROFESSIONAL PLUS **STANDARD**

Spirit levels

- Two solid UV-resistant vials for horizontal and vertical measurement
- Tolerance: 0.5 mm/m for accurate measurement results
- Accurate measurement results even with long lengths
- 1.0 mm profile strength
- Shock-absorbing end caps prevent damage when falling down

Length	Art.-No.
30 cm	2975-030
40 cm	2975-040
60 cm	2975-060

Length	Art.-No.
80 cm	2975-080
100 cm	2975-100
120 cm	2975-120

Length	Art.-No.
150 cm	2975-150
180 cm	2975-180
200 cm	2975-200

PROFESSIONAL **PLUS** STANDARD

Spirit level with vertical mirror vial and magnets

- Easy to work with because spirit level holds magnetically on metallic surfaces
- Two solid UV-resistant vials, incl. one patented "Plumb Site Dual View" vertical vial
- Easy frontal reading of the vertical vial, even at narrow spaces
- Tolerance: 0.5 mm/m for accurate measurement results
- 1.5 mm profile strength



Length	Art.-No.
30 cm	2976-031
40 cm	2976-041
60 cm	2976-061

Length	Art.-No.
80 cm	2976-081
100 cm	2976-101

Shock-absorbing end caps

"Plumb Site Dual View" vertical vial

PROFESSIONAL PLUS **STANDARD**

Mini spirit level 10 cm

- Shock-absorbing end caps prevent damage when falling down
- Tolerance: 0.5 mm/m

10 cm

Diamond drill bits with self-cooling

Ideal for extreme hard tiles, ceramics and porcelain stoneware

- Wax filling inside the drill bits
  - Self-cooling, as the wax liquefies during drilling
  - Fast drilling progress and long life
  - No contamination by coolant
- Two different shank versions available
  - Hexagonal shank for 3-jaw chuck
  - M14 threaded shank for angle grinder
- For rotating use only - no impact drilling!

Diamond drill bit set

Ø 6 - 8 - 10 mm

3 pcs. in plastic box

6,35 mm HEXAGONAL BIT-SHANK

59801

Diamond drill bit set

Ø 6 - 8 - 10 - 12 mm

4 pcs. in plastic box

M14 THREAD SHANK

59802

Adapter from hex shank to M14 threaded shank

To use the diamond drill bit with M14 threaded shank in a 3-jaw chuck

59499



Diamond drill bits with self-cooling

Single packaging with hanger

#103 Hex shank		#104 M14 threaded shank	
Ø mm	Art.-No.	Ø mm	Art.-No.
6.0	59 806	6.0	59 406
8.0	59 808	8.0	59 408
10.0	59 810	10.0	59 410
12.0	59 812	12.0	59 412

Grout remover

66318

1 PIECES TC/HM



Grout remover 3-in-1

66309

1 PIECES TC/HM





PROFESSIONAL PLUS STANDARD

Pipe cutter and sanitary tool case

Pipe cutter set 2-pcs.

- Ideal for aluminum, copper and thin-walled steel pipes up to 2 mm thickness
- Ergonomic knob
- Quick and tool-free change of cutting wheel
- Including spare wheel in the rotary knob
- 6211 for pipes Ø 3 - 30 mm
- 396213 with deburrer, for pipes Ø 3 - 45 mm

Set 2 pcs.
9986

Individual parts

Art.-No.
6211
396213

Sanitary tool case

PROJAHN
PROFICRAFT

- 98 tools in an break-proof ABS case
- All important sanitary tools in one set
- Clear and well structured arrangement of the tools
- Ideal for craftsmen, fitters or apprentices

PLUMBER

98 PIECES

W 460 x L 330 x H 145 mm, Weight 13.400 g

6.3	1/4"
12.5	1/2"

8685

Content

396215

Pipe cutter PT QUICK for pipes Ø 6 - 76 mm

Pipe shears for plastic and composite pipes up to Ø 42 mm

6263

PROFESSIONAL PLUS **STANDARD**

Category tool cases

PROJAHN
PROFICRAFT

- 2 tool boards with foldable pockets
- Durable hinges
- Robust, break-proof and lockable case
- Content adjusted to various user needs

W 460 x L 330 x H 145 mm, Weight 10.200 g

128 PIECES

ELECTRICIAN

Content

8683

1/4" 6.3
1/2" 12.5

W 460 x L 330 x H 145 mm, Weight 9.060 g

96 PIECES

CARPENTER

Content

8684

1/4" 6.3

W 460 x L 330 x H145 mm, Weight 12.240 g

149 PIECES

UNIVERSAL

Content

8681

1/4" 6.3
5/16" 8
1/2" 12.5

PROFESSIONAL PLUS **STANDARD**

Tool trolley UNIVERSAL

PROJAHN
PROFICRAFT

- High quality, universal tool range with all important tools
- With high-quality ratchets and sockets in sizes 6.3 [1/4"] and 12.5 [1/2"] from 4 to 32 mm
- Clearly arranged tools
- Easy transport of the case thanks to extendable telescopic handle and integrated, smooth-running wheels
- Robust, break-proof and lockable case
- 2 tool boards with foldable pockets

W 460 x L 390 x H 170 mm, Weight 17.500 g

131 PIECES

UNIVERSAL TROLLEY

Snap-in telescopic handle

Content

1/4"	6.3
1/2"	12.5

4963-01

PROFESSIONAL PLUS **STANDARD**

Tool case

- High quality tool assortments for universal use
- Clearly arranged tools
- All tools securely fixed
- Robust, break-proof and lockable case

W 425 x L 280 x H 130 mm, Weight 9.400 g

164 PIECES

UNIVERSAL COMPACT

Content

1/4"	6.3
3/8"	10

8682

PROFESSIONAL PLUS **STANDARD**

Socket sets

PROJAHN
PROFICRAFT

Content

1/4" ■ 6.3

1/4" Socket set

- 46 tools (metric) in impact-resistant plastic case
- High quality, ergonomic 1/4" reversible ratchet with rough or fine toothing
- Sockets 4 - 14 mm

Attractive design

W 250 x L 160 x H 55 mm, Weight 1.250 g

48-Tooth-Ratchet
8651
72-Tooth-Ratchet
8652

1/4" ■ 6.3
5/16" ⬢ 8
1/2" ■ 12.5

Content

1/4" + 1/2" Socket set

- 108 tools (metric) in impact-resistant plastic case
- High-quality, ergonomic [1/4]" and [1/2"] reversible ratchets with rough or fine toothing
- Sockets 4 - 32 mm and E-TX sockets E4 - E22
- 6.3 [1/4"] bit sockets for all main applications

Stable -
High quality -
Attractive

W 460 x L 335 x H 110 mm, Weight 7.000 g

48-Tooth-Ratchet
8653
72-Tooth-Ratchet
8654

PROFESSIONAL PLUS STANDARD

Socket sets

1/4" + 3/8" + 1/2" Socket set

- 182 tools in impact-resistant plastic case
- All important sockets and bits in one set
- Clear and well structured arrangement of the tools
- Sockets 4 - 32 mm and E-TX sockets E4 - E24
- Durable and replaceable clip closures
- High-quality, ergonomic 6.3 [1/4"], 10 [3/8"] and 12.5 [1/2"] reversible ratchets with fine toothing
- 6.3 [1/4"] bit sockets for all main applications
- Sockets made of CrV steel

Content

1/4"	6.3
3/8"	10
1/2"	12.5

PROJAHN
PROFICRAFT

182 PIECES

W 460 x L 335 x H 110 mm, Weight 8.500 g

All important sockets and bits in one set

Improved tool quality

48-Tooth-Ratchet
8663

72-Tooth-Ratchet
8664

PROFESSIONAL PLUS STANDARD

Tool case

1/4" + 1/2" Universal tool case

- Extensive equipment
- Good-looking and high-quality plastic case
- Ratchet with ergonomic 2-component handle for secure support and fatigue-free work
- Combination wrench 8 - 19 mm, hammer, sockets 4 - 24 mm and high-quality bit set
- Pliers, screwdrivers, hex keys etc. for almost any application

PROJAHN
PROFICRAFT

98 PIECES

W 460 x L 335 x H 110 mm, Weight 6.000 g

Ideal for caretakers and building technicians

48-Tooth-Ratchet
8665

Content

1/4"	6.3
1/2"	12.5

PROFESSIONAL PLUS STANDARD

Reversible ratchet

Extremely stable for high loads

- Stable and durable ratchet mechanism in an extremely slim design
- With robust rough toothing (48 teeth) or fine toothing (72 teeth) with a 5° return angle
- Quick release button for a safe connection between ratchet and socket
- Recessed, flat and therefore protected switch lever for a quick change of direction
- Balanced weight distribution for ideal handling while working
- High robustness and durabilty increased through firm and robust handle core

48 tooth

1/4"	6.3
3/8"	10
1/2"	12.5

max. torque	Art.-No.
85 Nm	39114948
270 Nm	39138948
660 Nm	39112948

72 tooth

1/4"	6.3
3/8"	10
1/2"	12.5

max. torque	Art.-No.
80 Nm	39114972
260 Nm	39138972
640 Nm	39112972

PROFESSIONAL PLUS STANDARD

Universal socket sets

- Useable as socket wrench insert and screwing tool for hooks, wing nuts, TX-, square drive and eyebolts
- Multifunctional socket wrench inserts
- Spring-mounted pins adapt to many external profiles
- Fits for metric and imperial screw drives
- Space, time and weight saving alternative to conventional socket wrench sets in mobile use

3/8" 10 9-21 mm

3-pcs. in rolling bag
- **1 universal socket spanner 3/8"**
- **1 socket spanner bit adapter**
- **1 reversible ratchet 3/8"**

3064

Also available separately:

Size	Art.-No.
1/4"	101099
3/8"	201099
1/2"	301099

1/4"	6.3	6-14 mm
3/8"	10	9-21 mm
1/2"	12.5	11-32 mm

3062

PROFESSIONAL PLUS STANDARD

Sheet metal nibbler adapter



1/4" 6.3

398054

Maximum sheet metal thickness

1.0 mm Steel
0.8 mm Stainless steel

A tool for left, right and straight cut

Metal shears adapter

Adjusting screw for easy readjusting the cutting edges

1/4" 6.3

398053

Maximum sheet metal thickness

0.8 mm Steel
0.6 mm Stainless steel

PROFESSIONAL PLUS STANDARD

Hex key set

- Integrated magnet in ball head (from 3 mm) - screws made of steel adhere to key
- With ball head - screwing also possible with angular application
- Non-slip surface for better grip
- Low wear, high stability and concurrent flexibility due to S2-steel

9 PIECES

Stable due to S2 steel

3613

1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm
9 pcs. in clip

Screwdriver set with striking cap

- With big, solid impact cap - ideal for smaller mortising and chisel works
- High stability due to persistent blade and impact cap
- High power transmission due to optimized handle-design on hand

6 PIECES

5199

PH 1 - PH 2
0.8 x 4.5 - 1.0 x 5.5 - 1.2 x 7.0 - 1.2 x 8.0 mm

6-in-1 universal screwdriver

- Only one screwdriver for 6 screw heads: Philips PH 1 - 2 - 3 and Pozidriv PZ 1 - 2 - 3
- Blade length: 100mm
- VDE version according to DIN EN 60900, IEC 900

Incl. Hex Key Aid

4600-1230

1000V EN 60900

VDE

5105-1230

Video

VDE screwdriver set

- Occupational safety for electricians: safety-tested to DIN ISO 60900 up to 1,000 V
- Optimal power transmission due to optimal adaptation the multi-component grip to the hand
- 2K-material: break-proof, stable core and non-slip coating with high slip resistance

7 PIECES

5190

PH 1 - PH 2
0.4 x 2.5 - 0.8 x 4.0 - 1.0 x 5.5 - 1.2 x 6.5 mm, voltage tester 230 V

PROFESSIONAL PLUS STANDARD

1/4" Bit and socket box

- Practical box of 25 mm bits, socket spanner bits with permanent magnets and screwing-in tools with internal threads for hanger bolts etc.
- Including 50 mm magnetic bit holder
- Very good fit and concentricity of the bits
- Robust and durable plastic box
- Handy and compact
- Ideal composition for heating and sanitary installers

1/4" 6.3

3791

Content

PROFESSIONAL PLUS STANDARD

1/4" Color bit box

- Compact box with belt clip
- Colored rings make finding the right bit easy
- Bits manufactured out of high-grade S2-steel, perfectly suited for the professional user
- High fitting accuracy and special hardening - Long service life and high-quality screw connection

394089

Content

PROFESSIONAL PLUS STANDARD

1/4" Compact socket and bit box

1/4" 6.3

- 38 pieces in a compact and stable box
- Easy extraction of the bits due to tilting mechanism
- SINGLE-HAND click lock for easy opening and closing
- Colored rings make finding the right bit easy

394072

Content

PROFESSIONAL PLUS STANDARD

1/4" Color bit box with ratchet screwdriver

- Extensive equipment with 25 mm and 75 mm bits and socket bit inserts in one box
- Includes high quality ratchet screwdriver with 10 additional bits
- Reversible ratchet function

Content

4097

PROFESSIONAL PLUS STANDARD

1/4" STAR bits

Anti Cam-Out



- PROJAHN **STAR** bits:
- **S**afe – high break resistance and occupational safety
- **T**orsion – Ideal for the use with impact wrenches
- **A**nti-Slip - The micro-rough surface minimises the cam-out effect
- **R**esistant – extreme wear-resistance due to the combination of S2 steel with zirconium nitride coating
- STAR bits perform significantly better than conventional bits in torque transmission, service life, wear-resistance and reduction of the ejecting effect

10 PIECES **10-pack with hanger**

1/4" ⬢ 6.3

Type	Length	Art.-No.
PH1	25 mm	1 780 001-10
PH2	25 mm	1 780 002-10
PH3	25 mm	1 780 003-10
PH2	50 mm	1 781 002-10

Type	Length	Art.-No.
PZ1	25 mm	1 780 101-10
PZ2	25 mm	1 780 102-10
PZ3	25 mm	1 780 103-10
PZ2	50 mm	1 781 102-10



Type	Length	Art.-No.
T10	25 mm	1 780 310-10
T15	25 mm	1 780 315-10
T20	25 mm	1 780 320-10
T25	25 mm	1 780 325-10
T30	25 mm	1 780 330-10
T40	25 mm	1 780 340-10
T10	50 mm	1 781 310-10
T15	50 mm	1 781 315-10
T20	50 mm	1 781 320-10
T25	50 mm	1 781 325-10
T30	50 mm	1 781 330-10
T40	50 mm	1 781 340-10

PROFESSIONAL PLUS STANDARD

1/4" SINGLE-HAND bit holder

Extremely slim design

- SINGLE-HAND quick release button for quick and easy SINGLE-HAND use
- For long lifetime and high resistance due to high quality
- With extra strong magnet - even heavy screws stick to the bit
- Slim design - ideal for narrow working areas
- Quick and easy change of the bits

2772 and 2773 with movable centering sleeve

1/4" ⬢ 6.3

Length	Art.-No.
65 mm	2771
150 mm	2772
350 mm	2773



PROFESSIONAL PLUS STANDARD

Blind rivet tools

Blind rivet pliers

- Profi blind rivet pliers for blind rivet processing of the diameters 2.4 / 3.0 - 3.2 / 4.0 / 4.8 - 5.0 mm
- Suitable for all blind rivet materials
- Ergonomic, spring-mounted and highly stable lever arm made of Cr-Mo steel
- Including mouth pieces 2.4 / 3.0 - 3.2 / 4.0 / 4.8 - 5.0 mm

Small, ergonomic opening angle

398060

Hardened clamping jaws

Blind rivet pliers set

- Handy and practical blind rivet pliers incl. 15 blind rivets for 2.4 / 3.2 / 4.0 / 4.8 mm
- Blind rivet pliers 398060 and 15 aluminum-blind rivets for diameters 2.4 / 3.2 / 4.0 / 4.8 mm
- In high-quality and solid metal case

Inclusive blind rivets

398061

Aluminum 2.4 – 5.0 mm | Steel 2.4 – 5.0 mm | Stainless steel 2.4 – 4.0 mm

61 PIECES

Lever blind rivet pliers

- Lever rivet pliers for the processing of blind rivets of sizes 3.0 - 6.4 mm
- Lever arms in high quality steel with ergonomic and non-slipping handles
- Hardened alloy steel jaws - suitable for all blind rivet materials
- Lever-arm mechanism for effortless power transmission - easy and gentle processing
- Removable collecting vessel
- Including mouth pieces 3.0 - 3.2 / 4.0 / 4.8 - 5.0 / 6.4 mm

Hardened clamping jaws

Removable collecting vessel

398062

Aluminum 3.0 - 6.4 mm | Steel 3.0 - 6.4 mm | Stainless steel 3.0 - 5.0 mm

Blind rivet adapter

- Profi blind rivet adapter for blind rivet processing with cordless screwdrivers and drill machines
- Very fast and fatigue-free setting of blind rivets
- High quality and non-slipping metal housing
- For blind rivet processing of diameters 2.4 - 5.0 mm (398063) or 3.0 - 6.4 mm (398064)
- Including coloured mouth pieces for fast identification of the right size

Compatible with all drill chucks

398064 with ergonomic two-component handle

2.4 - 5.0 mm — **without handle** — **398063**

Aluminum 2.4 - 5.0 mm | Steel 2.4 - 4.0 mm | Stainless steel 2.4 - 4.0 mm | MAX Ø 2.4 mm -; Ø 3.0 - 3.2 mm 15.0 mm; Ø 4.0 mm 12.5 mm; Ø 4.8 - 5.0 mm 10.0 mm

3.0 - 6.4 mm — **with handle** — **398064**

Aluminum 3.0 - 6.4 mm | Steel 3.0 - 6.4 mm | Stainless steel 3.0 - 5.0 mm | MAX Ø 3.0 - 3.2 mm 18.0 mm; Ø 4.0 mm 15.0 mm; Ø 4.8 - 5.0 mm 12.5 mm; Ø 6.4 mm 10.0 mm

PROFESSIONAL PLUS STANDARD

Blind rivet nut tools

Blind rivet nut pliers set

- Profi blind rivet nut pliers for blind rivet nut processing with a diameter of M3 - M6
- Ergonomic, spring-mounted and highly stable lever arm made of Cr-Mo steel
- Suitable for all riveting materials
- Easy changing of the mandrels
- Incl. mandrels and mouth pieces M3, M4, M5 and M6

Small, ergonomic opening angle

Aluminum M3 – M6 | Steel M3 – M6 | Stainless steel M3 – M5

398080

Lever blind rivet nut pliers set

- Profi lever blind rivet nut pliers for blind rivet nut processing from M4 - M10
- Practical set consisting of lever blind rivet nut pliers and 20 aluminum blind rivet nuts for each size
- Suitable for all riveting materials
- Including mandrels and mouthpieces

Incl. blind rivets

Aluminum M4 – M10 | Steel M4 – M10 | Stainless steel M4 – M10

398081

Blind rivet nut adapter

- For blind rivet nut processing with cordless screwdrivers and drill machines
- Compatible to all conventional drill chucks
- For blind rivet nut processing of the sizes M3 - M6 (398082) as well as M6 - M10 (398083)
- Suitable for all riveting materials
- With high-quality and non-slipping metal housing for gentle work
- Including mandrels and mouthpieces

Very quick and fatigue-free setting of blind rivet nuts

M3 - M6

Aluminum M3 – M6 | Steel M3 – M6 | Stainless steel M3 – M5

398082

M6 - M10

Aluminum M6 – M10 | Steel M6 – M10 | Stainless steel M6 – M8

398083

Workshop trolley without equipment

UNIVERSE

- Modern and dynamic design
- Four-level safety concept
- High work safety: only one drawer at a time may be opened to avoid overturning
- Individual drawer locking prevents unintentional opening
- Max. stability due to two wheels with 360° full break system
- Anti-theft protection: central locking system
- Excellent storage capacity: 7 drawers, 2x 154 mm and 5x 75 mm height
- Outstanding reachability of the tools thanks to 100% fully extendable drawers
- Ergonomic and stable handle
- Easy moving due to supersized premium wheels
- Durable oil and acid-resistant casters

Material:	Steel plates, powder-coated
Material Thickness:	0.9 - 1.0 mm
Colour(s):	blue, red
Height x Width x Depth:	1.020 x 775 x 475 mm
Max Overall Capacity:	650 kg
Roll Dimensions:	127 x 50 mm
Drawers:	7
Max Capacity per Drawer:	45 kg
Height Drawers:	2 x 154 mm / 5 x 75 mm

- 6501-51
- 6501-11
- 6501-50
- 6501-10

PROFESSIONAL **PLUS** STANDARD

GALAXY

- Robust frame construction and overall capacity up to 450 kg
- Distinctive, clear lines and high-gloss wheels
- Expandable with top case available in 3 colours
- Only-One-Drawer-System: only one drawer at a time may be opened
- 40 kg drawer load capacitiy
- Stable handle, mountable on both sides

Allround recommendation

Material:	Steel plates, powder-coated
Material Thickness:	0.8 mm
Colour(s):	red/anthracite, blue/anthracite, black/silver
Height x Width x Depth:	980 x 678 x 459 mm
Max Overall Capacity:	450 kg (static)
Roll Dimensions (ØxW):	127 x 50 mm
Max Capacity per Drawer:	40 kg
Height Drawers:	2 x 154 mm / 5 x 75 mm

- 5501-50
- 5501-20
- 5501-10

SPACE

- Huge capacity due to seven drawers and two additional side doors with multiple storage compartments
- Larger work and shelf space and more room for your tools
- Only-One-Drawer-System: only one drawer at a time may be opened
- Very high stability and torsional rigidity due to double wall construction with a static overall load of up to 500 kg

Storage recommendation

Material:	Steel plates, powder-coated	Max Overall Capacity:	500 kg (static)
Material Thickness:	0.8 - 0.9 mm	Roll Dimensions (ØxW):	127 x 50 mm
Colour:	blue/anthracite	Max Capacity per Drawer:	40 kg
Height x Width x Depth:	990 x 910 (990 incl. Handle) x 475 mm	Height Drawers:	2 x 154 mm / 5 x 75 mm

- 7901-50

WORKSHOP TROLLEYS WITH EQUIPMENT

UNIVERSE	GALAXY	SPACE	STAR
6501-511 6501-111	5501-511 5501-211 5501-111	7901-511	4901-511
6501-524 6501-124	5501-524 5501-224 5501-124	7901-524	4901-524
6501-541 6501-141	5501-541 5501-241 5501-141	7901-541	4901-541

Workshop trolleys with equipment

- Not the right combination? Take a look at the PROJAHN workshop trolley brochure for further possibilities!
  There you will also find further information about the PROJAHN workshop trolleys, accessories, additional inserts and equipment possibilities

Workshop Trolley Flyer

171 PIECES

Drawer 1
5999-111 5999-131 5999-191



Drawer 2
5999-011 5999-321 5999-021



Drawer 3
5999-082 5999-065 5999-101

Equipment also available without workshop trolley

187 PIECES

Drawer 1
5999-065 5999-341 5999-351



Drawer 2
5999-321 5999-011 5999-051

Drawer 3
5999-101 5999-331 5999-082

Drawer 4
5999-511 5999-531 5999-191

2x Xi-on Inlay + bit set 394089

320 PIECES

Drawer 1
5999-111 5999-131 5999-191

Drawer 2
5999-321 5999-011 5999-021



Drawer 3
5999-065 5999-062 5999-341



Drawer 4
5999-171 5999-082 5999-101



Drawer 5
5999-331 5999-393

+ Bit-Box 3789

PROFESSIONAL PLUS **STANDARD**

Workshop trolley without equipement

The economic workshop trolley

- Good quality and high safety
- Stable ball bearing slides
- 6 drawers with a load capacity of up to 35 kg each
- Max. overall load capacity of up to 400 kg
- Only-One-Drawer-System: only one drawer at a time may be opened
- Wheels with full break system

Price recommendation

4901-50

STAR

Material:	Steel plates, powder-coated	Max Overall Capacity:	400 kg
Material Thickness:	0.8 mm	Roll Dimensions:	127 x 32 mm
Colour(s):	blue	Drawers:	6
Height x With x Depth:	1.010 x 678 x 459 mm	Max Capacity per Drawer:	35 kg
		Height Drawers:	3 x 154 mm / 3 x 75 mm

Workshop trolleys with 229 pcs. equipment

STAR

GALAXY

- Universal tooling for 3 drawers
- With 3 stable and high quality 72-tooth fine-tooth ratchets

PROJAHN
PROFICRAFT



4901-591



Content

1/4"	6.3
5/16"	8
3/8"	10
1/2"	12.5

Incl. impact socket wrench inserts



5501-591

5501-291

5501-191

PROFESSIONAL **PLUS** STANDARD

Xi-on MULTI socket wrench

Xi-on

- ► Extremely innovative: Revolutionary Xi-on special construction opens even up to 85% rounded screws and nuts
- ► Opens all standard metric hex, double hex, spline screw nuts and screws
- ► Easy working where even conventional sockets will fail
- ► Recommended by »Technik und Motor« of FAZ (established reputable Frankfurt Newspaper, Germany)
- ► Exact fit and highest power transmission with less wear
- ► Made of high quality chrome vanadium steel for long lifetime
- ► High grip thanks to the circumferential knurling



Hex | 85% rounded | 12 point | Spline

1/4" Xi-on socket set

W 125 x L 225 x H 45 mm, Weight 1.020 g

1/4" ⬢	6.3

4101

Content

1/4" + 1/2" Xi-on socket set

W 200 x L 450 x H 55 mm, Weight 5.200 g

1/4" ⬢	6.3
1/2" ■	12.5

4131

Content

1/2" Xi-on socket set

W 195 x L 450 x H 55 mm, Weight 4.530 g

1/2" ■	12.5

4121

Content

Your PROJAHN Retailer

PROJAHN Promotion valid at all participating dealers from March 1st 2022 until August 31st 2022 or rather revocation or publication of a new promotion leaflet.

118

Performance specifications, features, pictures, lists, dimensions and weight of products may change in the course of technical development and, due to adaptions to our customers' needs, without any obligation or prior notice. There is no obligation to change earlier deliveries accordingly. We are entitled to remove items from our product range. The offers in this promotion leaflet are not combinable with others. Sales only through specialized trade dealers. Errors and omissions as well as colour variations are subject to change. On account of limited stock some articles may already be sold out.

© 2022 PROJAHN Präzisionswerkzeuge GmbH, Germany

302203PROM_UKOP